



**Канатный электротельфер МТ Передвигаемый двумя тележками, полиспаст 2/1**

- (1) с микроподъемом
- (2) с ограничителем груза

Тип	Полиспаст 2/1		Размеры, мм																										
	Высота подъема, м	Грузоподъемность, kg	Скорость подъема, m/min		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	H4	B	B1	B2	B3	B4	B5	B6	B7	C	e	D		
			8/12	8/2 12/2																									
MT202	H4	21	500	978	1018	452	509	157	75	924	225	415	70	317	195	148	33	90...	560	158.5	239.5	245...	94...	34	165	1065	50	120	
	H5	28		1138	1178	532	669	237	75	1084								130...	625 <sup>(2)</sup>		302 <sup>(2)</sup>	305	54	172	192 <sup>(1)</sup>				
	H6	37		1226	1290	567	641	207	92	1056	225	415	80	380	205	148	33	130...	618	186	250	245...	94...	34	172	1140	36	120	
	H7	42		1306	1373	602	711	237	97	1126								150	680 <sup>(2)</sup>		314.5 <sup>(2)</sup>	305	54	172	226 <sup>(1)</sup>				
MT305	H4	20	1000	1114	1154	512	629	198	92	1044	225	415	70	317	195	148	33	90...	560	158.5	239.5	245...	94...	40	165	1135	50	120	
	H5	27		1314	1354	612	829	298	92	1244								130...	625 <sup>(2)</sup>		302 <sup>(2)</sup>	305	54	172	198 <sup>(1)</sup>				
	H6	38		1426	1490	667	841	295	90	1256	225	415	80	380	205	148	33	130...	618	186	250	245...	94...	40	172	1210	36	120	
	H7	42		1526	1593	712	931	335	95	1346								150	680 <sup>(2)</sup>		314.5 <sup>(2)</sup>	305	54	172	226 <sup>(1)</sup>				
MT410	H4	20	2000	1226	1290	567	641	195	90	1177	280	536	80	380	235	200	37	130...	618	186	250	270...	125...	45	172	1330	36	175	
	H5	26		1426	1490	667	841	295	90	1377								150	680 <sup>(2)</sup>		314.5 <sup>(2)</sup>	335	105	105	220 <sup>(1)</sup>				
	H6	34		1535	1623	710	873	302	90	1409								130...	752	229	294	270...	125...	45	212	1445	38	175	
	H7	39		1640	1728	762	978	355	90	1514								150	830 <sup>(2)</sup>		365.5 <sup>(2)</sup>	335	105	105	257 <sup>(1)</sup>				
	H8	47		1815	1903	850	1153	443	90	1689	280	536	90	466	270	200	37							45	212	1445	38	175	
	H9	52		1955	2043	920	1293	513	90	1829									130...	752	229	294	270...	125...	45	212	1445	38	175
MT516	H4	18	3200	1306	1373	602	711	225	95	1247	280	536	80	380	235	200	37	130...	618	186	250	270...	125...	50	172	1415	34	175	
	H5	25		1526	1593	712	931	335	95	1467								150	680 <sup>(2)</sup>		314.5 <sup>(2)</sup>	335	105	105	226 <sup>(1)</sup>				
	H6	32		1640	1728	762	978	355	90	1514								130...	752	229	294	270...	125...	50	212	1530	38	175	
	H7	38		1815	1903	850	1153	443	90	1689	280	536	90	466	270	200	37							50	212	1530	38	175	
	H8	43		1955	2043	920	1293	513	90	1829									150	830 <sup>(2)</sup>		365.5 <sup>(2)</sup>	335	105	105	257 <sup>(1)</sup>			
MT625	H4	17	5000	1325	1413	605	663	200	88	1199																			
	H5	23		1535	1623	710	873	305	88	1409																			
	H6	30		1815	1903	850	1153	445	88	1689	280	536	90	466	270	200	37	130...	752	229	294	270...	125...	56	212	1620	37	175	
	H7	35		1955	2043	920	1293	515	88	1829									150	830 <sup>(2)</sup>		365.5 <sup>(2)</sup>	335	105	105	257 <sup>(1)</sup>			
	H8	40		2125	2213	1005	1463	600	88	1999																			
	H9	46		2253	2288	1067	1513	578	128	2049																			
	H10	54		2503	2538	1192	1763	703	128	2299	280	536	100	540	265	200	37	130...	880	271	369	270...	125...	56	266	1700	56	175	
H11	60	2693	2728	1287	1953	798	128	2489									150	960 <sup>(2)</sup>		453.5 <sup>(2)</sup>	335	105	105						

Тип	Полиспаст 2/1		Размеры, mm																											
	Высота подъема, m	Грузоподъемность, kg	Скорость подъема, m/min		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	H4	B	B1	B2	B3	B4	B5	B6	B7	C	e	D			
MT740	H2	8	8000	8/2	1133	1168	507	600	68	78	1195																			
	H3	12		12/2	1293	1328	587	600	148	78	1195				304														1925	
	H4	17		L1	1453	1488	667	713	178	128	1308																			
	H5	23			1668	1703	775	928	285	128	1523																			
	H6	29			1883	1918	882	1143	392	128	1738	310	595	100	540			130...	880			369	300...	145...	71	266			56	210
	H7	35			2093	2128	987	1353	498	128	1948				292			150	960 <sup>(2)</sup>	271		453.5 <sup>(2)</sup>	365	125				1910		
	H8	40			2253	2288	1067	1513	578	128	2108																			
	H9	47			2503	2538	1192	1763	703	128	2358																			
	H10	52			2693	2728	1287	1953	798	128	2548																			

Тип	Полиспаст 2/1		Размеры, mm																											
	Высота подъема, m	Грузоподъемность, kg	Скорость подъема, m/min		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	H4	B	B1	B2	B3	B4	B5	B6	B7	C	e	D			
MT750	H2	8	10000	8/2	1168	1174	507	600	68	78	1195																			
	H3	12		12/2	1328	1334	587	600	148	78	1195				304														1925	
	H4	17		L1	1488	1494	667	713	178	128	1308																			
	H5	23			1703	1709	775	928	285	128	1523																			
	H6	29			1918	1924	882	1143	392	128	1738	310	595	100	548			130...	888			373	300...	145...	71	266			56	210
	H7	35			2128	2134	987	1353	498	128	1948				292			150	968 <sup>(2)</sup>	275		457.5 <sup>(2)</sup>	365	125				1910		
	H8	40			2288	2294	1067	1513	578	128	2108																			
	H9	47			2538	2544	1192	1763	703	128	2358																			
	H10	52			2728	2734	1287	1953	798	128	2548																			

Тип	Полиспаст 2/1		Размеры, mm																											
	Высота подъема, m	Грузоподъемность, kg	Скорость подъема, m/min		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	H4	B	B1	B2	B3	B4	B5	B6	B7	C	e	D			
MT763	H2	8	12500	6/1	1233	1239	572	600	68	78	1195																			
	H3	12		9/1.5	1393	1399	652	600	148	78	1195				304														1925	
	H4	17		L1	1553	1559	732	713	178	128	1308																			
	H5	23			1768	1764	840	928	285	128	1523																			
	H6	29			1983	1989	947	1143	392	128	1738	310	595	100	548			130...	888			373	300...	145...	71	266			56	210
	H7	35			2193	2199	1052	1353	498	128	1948				292			150	968 <sup>(2)</sup>	275		457.5 <sup>(2)</sup>	365	125				1910		
	H8	40			2353	2359	1132	1513	578	128	2108																			
	H9	47			2603	2609	1257	1763	703	128	2358																			
	H10	52			2793	2799	1352	1953	798	128	2548																			

Тип	Полиспаст 2/1		Размеры, mm																											
	Высота подъема, m	Грузоподъемность, kg	Скорость подъема, m/min		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	H4	B	B1	B2	B3	B4	B5	B6	B7	C	e	D			
MT780	H4	17	16000	4/1	1597	1603	732	713	178	128	1408																			
	H5	23		6/1	1812	1818	840	928	285	128	1623																			
	H6	29		L1	2027	2033	947	1143	392	128	1838																			
	H7	35			2237	2243	1052	1353	498	128	2048	354	695	100	556	340	274	35	150...	892			377	300...	185...	71	266	1970	56	250
	H8	40			2397	2403	1132	1513	578	128	2208								200	972 <sup>(2)</sup>	279		457.5 <sup>(2)</sup>	365	160					
	H9	47			2647	2653	1257	1763	703	128	2458																			
H10	52		2837	-	1352	1953	798	128	2648																					

Тип	Полиспаст 2/1		Размеры, мм																										
	Высота подъема, м	Грузоподъемность, kg	Скорость подъема, м/мин		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	H4	B	B1	B2	B3	B4	B5	B6	B7	C	e	D		
			16	16/4																									
			L1																										
MT202	H4	21	500	1026	1090	467	441	157	75	856	225	415	80	380	205	148	33	130...	618	186	250	245...	94...	34	172	1140	36	120	
	H5	28		1086	1153	492	491	237	75	906																			226 <sup>(1)</sup>
	H6	37		1226	1290	567	641	207	92	1056																			
	H7	42		1306	1373	602	711	237	97	1126																			
MT305	H4	20	1000	1114	1154	492	491	198	92	906	225	415	80	380	205	148	33	130...	618	186	250	245...	94...	40	172	1210	36	120	
	H5	27		1314	1354	567	641	298	92	1056																			226 <sup>(1)</sup>
	H6	38		1426	1490	667	841	295	90	1256																			
	H7	42		1526	1593	712	931	335	95	1346																			
MT410	H5	26	2000	1325	1413	605	663	200	90	1199	280	536	90	466	270	200	37	130...	752	229	294	270...	125..	45	212	1445	38	175	
	H6	34		1535	1623	710	873	302	90	1409																			257 <sup>(1)</sup>
	H7	39		1640	1728	762	978	355	90	1514																			
	H8	47		1815	1903	850	1153	442	90	1689																			
	H9	52		1955	2043	920	1293	513	90	1829																			
	H10	60		2125	2213	1005	1463	598	90	1999																			
MT516	H5	25	3200	1535	1623	710	873	305	90	1409	280	536	90	466	270	200	37	130...	752	229	294	270...	125..	50	212	1530	38	175	
	H6	32		1640	1728	762	978	355	90	1514																			257 <sup>(1)</sup>
	H7	38		1815	1903	850	1153	442	90	1689																			
	H8	43		1955	2043	920	1293	513	90	1829																			
	H9	49		2125	2213	1005	1463	598	90	1999																			
MT625	H2	9	5000	1168	1174	507	600	68	78	1195	280	536	100	540	200	37	130...	880	271	369	270...	125..	56	266	1700	56	175		
	H3	14		1328	1334	587	600	148	78	1195																		304	
	H4	17		1488	1494	667	713	178	128	1249																			
	H5	23		1588	1594	717	813	228	128	1349																			
	H6	30		1778	1774	812	1003	323	128	1539																		265	
	H7	35		1963	1969	905	1188	414	128	1724																			
	H8	40		2093	2128	987	1353	498	128	1889																			
	H9	46		2253	2288	1067	1513	578	128	2049																			
	H10	54		2503	2538	1192	1763	703	128	2299																			
	MT740	H2		8	8000	1168	1174	507	600	68																		78	1195
H3		12	1328	1334		587	600	148	78	1195	304																		
H4		17	1488	1494		667	713	178	128	1308																			
H5		23	1703	1709		775	928	285	128	1523																			
H6		29	1918	1924		882	1143	392	128	1738	292																		
H7		35	2128	2134		987	1353	498	128	1948																			
H8		40	2288	2294		1067	1513	578	128	2108																			
H9		47	2538	2544		1192	1763	703	128	2358																			
H10		52	2728	2734		1287	1953	798	128	2548																			

Тип	Полиспаст 2/1		Скорость подъема, m/min					
	Высота подъема, m	Грузоподъемность, kg	8	12	8/2	12/2	16	16/2.5
			Вес, kg					
MT202	H4	21	500	193	210	296	342	
	H5	28		202	227	314	360	
	H6	37		330	374	321	367	
	H7	42		350	394	344	390	
MT305	H4	20	1000	218	240	342	385	
	H5	27		230	252	357	400	
	H6	38		385	407	385	407	
	H7	42		405	427	405	427	
MT410	H4	20	2000	460	503	-	-	
	H5	26		480	523	705	541	
	H6	34		765	825	765	825	
	H7	39		785	845	785	845	
	H8	47		820	880	820	880	
	H9	52		855	915	855	915	
MT516	H4	18	3200	490	500	575	-	-
	H5	25		510	520	575	770	660
	H6	32		790	800	790	790	830
	H7	38		825	835	825	825	865
	H8	43		860	870	860	860	900
	H9	49		890	900	890	890	930
MT625	H4	17	5000	705	765	960	895	
	H5	23		760	820	1070	925	
	H6	30		730	890	1140	975	
	H7	35		1020	1080	1195	1200	
	H8	40		1065	1125	1225	1230	
	H9	46		1200	1260	1270	1275	
	H10	54		1270	1330	1340	1345	
MT740	H2	8	8000	1005	1065	1065	1070	
	H3	12		1045	1105	1105	1110	
	H4	17		1080	1240	1240	1250	
	H5	23		1135	1195	1195	1200	
	H6	29		1185	1245	1245	1250	
	H7	35		1245	1305	1305	1310	
	H8	40		1290	1350	1350	1355	
	H9	47		1360	1420	1420	1425	
	H10	52		1415	1475	1475	1480	

Тип	Полиспаст 2/1		Скорость подъема, m/min				
	Высота подъема, m	Грузоподъемность, kg	6	9	6/1.5	9/1.5	
			Вес, kg				
MT763	H2	8	12500	1040	1100		
	H3	12		1080	1140		
	H4	17		1120	1180		
	H5	23		1170	1230		
	H6	29		1230	1290		
	H7	35		1295	1355		
	H8	40		1340	1400		
	H9	47		1415	1475		
	H10	52		1475	1535		

Тип	Полиспаст 2/1		Скорость подъема, m/min				
	Высота подъема, m	Грузоподъемность, kg	4	6	4/1	6/1	
			Вес, kg				
MT780	H3	24	16000	1240	1300		
	H4	34		1315	1375		
	H5	46		1375	1435		
	H6	58		1430	1495		
	H7	70		1500	1560		
	H8	80		1555	1615		
	H9	94		1625	1675		
	H10	104		1685	-		

Тип	Полиспаст 2/1		Скорость подъема, m/min					
	Высота подъема, m	Грузоподъемность, kg	8	12	8/2	12/2	16	16/2.5
			Вес, kg					
MT750	H2	8	10000	1040	1100	1100	1105	
	H3	12		1080	1140	1140	1145	
	H4	17		1120	1180	1180	1185	
	H5	23		1170	1230	1230	1235	
	H6	29		1230	1290	1290	1295	
	H7	35		1295	1355	1355	1360	
	H8	40		1340	1400	1400	1405	
	H9	47		1415	1475	1475	1480	
	H10	52		1475	1535	1535	1540	